

Statistical Bulletin

EXPERIMENTAL STATISTICS

Integrated Household Survey April 2011 to March 2012: Experimental Statistics

Coverage: UK

Date: 28 September 2012 Geographical Area: Region Theme: People and Places Theme: Health and Social Care

Headline statistics

- 1.5 per cent of adults in the UK identified themselves as Gay, Lesbian or Bisexual.
- 2.7 per cent of 16 to 24 year olds in the UK identified themselves as Gay, Lesbian or Bisexual compared with 0.4 per cent of 65 year olds and over.
- Across the UK, 78 per cent of men and 75 per cent of women reported that they perceived themselves to be 'in good health'.
- Of the constituent countries of the UK, for the third successive year Wales has reported the lowest rate of perceived good health.
- In the UK, those aged 18 to 24 and who currently smoke are over twice as likely to have reported to be 'not in good health' compared with those that have never smoked.

Summary

This Statistical Bulletin covers the survey period April 2011 to March 2012.

The Integrated Household Survey (IHS) is the largest social survey produced by the Office for National Statistics (ONS).

The survey is comprised of a core suite of questions from three current ONS household surveys and contains information from approximately 350,000 individual respondents – the biggest pool of UK social data after the census.

The survey covers a number of themes including education, migration, housing and employment with only certain topics included in this Bulletin. Information and statistics about these and other

Integrated Household Survey April 2011 to March 2012: Experimental Statistics | 28 September 2012

themes can be found in the background notes and are published by ONS on the <u>UK National</u> Statistics Publication Hub website.

ONS is proposing to reduce the number of annual IHS datasets from four to one per year. This proposal is out for consultation from August to October 2012. See background note 1 for further information.

IHS statistics are currently designated as experimental. Experimental statistics are new official statistics undergoing evaluation: they are published in order to involve customers and stakeholders in their development and as a means to build in quality at an early stage.

Sexual identity

The question on sexual identity was developed and tested on a number of surveys in 2008 and was added to the IHS in 2009. The data have been collected to provide accurate statistics to underpin the equality monitoring responsibilities of public sector organisations and to assess the disadvantage or relative discrimination experienced by the lesbian, gay and bisexual population.

The sexual identity question was asked to respondents aged 16 years and over and was not asked by proxy. Proxy interviews are defined as those when answers are supplied by a third party, who is a member of the respondent's household. A valid response was provided by 95 per cent of eligible responders.

The IHS data in the survey period April 2011 to March 2012 indicate that:

- 93.9 per cent of adults identified themselves as Heterosexual/Straight,
- 1.1 per cent of the surveyed UK population, approximately 545,000 adults, identified themselves as Gay or Lesbian,
- 0.4 per cent of the surveyed UK population, approximately 220,000 adults, identified themselves as Bisexual,
- 0.3 per cent identified themselves as 'Other',
- 3.6 per cent of adults stated 'Don't know' or refused to answer the question,
- 0.6 per cent of respondents provided 'No response' to the question.

The 'Other' option on the question was to address the fact that not all people will consider they fall in the first three categories.

Table 1 highlights that the sexual identity information for the three consecutive years of IHS data shows consistency across all categories and gender. The latest data shows that 93.6 per cent of men and 94.2 per cent of women identified themselves as Heterosexual/Straight and that a larger proportion of men stated they were Gay, at 1.5 per cent, compared with women at 0.7 per cent.

Integrated Household Survey April 2011 to March 2012: Experimental Statistics | 28 September 2012

Table 1Sexual Identity by Gender, April to March 2009/10, 2010/11 and 2011/12

United Kingdom, percentages

	Men			Women			Total		
Gender	2009/10	2010/11	2011/12	2009/10	2010/11	2011/12	2009/10	2010/11	2011/12
Heterose: Straight	xual /94.0	93.6	93.6	94.5	94.3	94.2	94.2	94.0	93.9
Gay / Lesbian	1.3	1.3	1.5	0.6	0.6	0.7	0.9	1.0	1.1
Bisexual	0.3	0.4	0.3	0.6	0.6	0.5	0.5	0.5	0.4
Other	0.5	0.4	0.4	0.5	0.3	0.3	0.5	0.4	0.3
Don't know / Refusal	3.1	3.6	3.5	3.3	3.6	3.8	3.2	3.6	3.6
No response	0.8	0.7	0.7	0.5	0.6	0.6	0.6	0.7	0.6

Table source: Office for National Statistics

Table notes:

- 1. The total number of eligible responders to the question in 2011/12 was 186,946 of which 178,292 provided a valid response. The question was asked to respondents aged 16 and over and was not asked by proxy.
- 2. ONS defines 'no response' as no data provided to the question by an eligible responder.
- 3. The 'no response' category includes respondents who were aged 15 in wave 1 of the LFS/APS but are now aged 16 in the April 2011 to March 2012 field period.
- 4. Percentages might not add to 100 per cent due to rounding.
- 5. Confidence intervals for the latest estimates in the above table can be found in the excel download table.

Download table




At the regional level of England and the constituent countries of the UK, IHS data again shows a consistent pattern to previous years. In April 2011 to March 2012:

- 2.4 per cent of adults who live in London said they were Gay, Lesbian or Bisexual
- 1.1 per cent of adults who live in the East of England identified themselves as Gay, Lesbian or Bisexual

Integrated Household Survey April 2011 to March 2012: Experimental Statistics | 28 September 2012

Figure 1
Sexual Identity by Region, April 2011 to March 2012



Source: Integrated Household Survey - Office for National Statistics

Notes:

- 1. The total number of eligible responders to the question in 2011/12 was 186,946 of which 178,292 provided a valid response. The question was asked to respondents aged 16 and over when they first entered all component IHS surveys, and was not asked by proxy.
- 2. ONS defines 'no response' as no data provided to the question by an eligible responder.
- 3. The 'no response' category includes respondents who were aged 15 in wave 1 of the LFS/APS but are now aged 16 in the April 2011 to March 2012 field period.
- 4. Percentages may not add to 100 per cent due to rounding
- 5. The whisker bars represent the confidence intervals for each estimate

Download chart



A comparison by age group showed that 2.7 per cent of those aged 16 to 24 identified themselves as Gay, Lesbian or Bisexual, compared with only 0.4 per cent of those aged 65 and over.

Integrated Household Survey April 2011 to March 2012: Experimental Statistics | 28 September 2012

Table 2Sexual Identity by Age Group, April to March 2010/11 and 2011/12

Percentages

Age groups	16-24		25-34		35-49		50-64		65+	
	2010/11	2011/12	2010/11	2011/12	2010/11	2011/12	2010/11	2011/12	2010/11	2011/12
Heterose Straight	exua 9/1 .4	91.6	93.6	93.5	94.0	93.6	95.2	95.1	94.7	94.8
Gay / Lesbian	1.1	1.6	1.4	1.6	1.4	1.5	0.7	0.7	0.3	0.3
Bisexua	1.0	1.1	0.6	0.6	0.4	0.4	0.3	0.2	0.3	0.1
Other	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.4	0.5	0.4
Don't know / Refusal	4.9	4.1	3.4	3.5	3.2	3.6	2.9	3.1	3.9	4.0
No response	1.3 e ²	1.2	0.7	0.6	0.7	0.6	0.6	0.6	0.3	0.4

Table source: Office for National Statistics

Table notes:

- 1. The total number of eligible responders to the question in 2011/12 was 186,946 of which 178,292 provided a valid response. The question was asked to respondents aged 16 and over and was not asked by proxy.
- 2. ONS defines 'no response' as no data provided to the question by an eligible responder.
- 3. The 'no response' category includes respondents who were aged 15 in wave 1 of the LFS/APS but are now aged 16 in the April 2011 to March 2012 field period.
- 4. Percentages might not add to 100 per cent due to rounding.
- 5. Confidence intervals for the latest estimates in the above table can be found in the excel download table.

Download table

XLS XLS format (21.5 Kb)

Perceived general health and smoking prevalence


The survey asked people about their perception of their health in general. The IHS data show that across the UK in April 2011 to March 2012:

- 78 per cent of men and 75 per cent of women perceive themselves to be 'in good health',
- of all the constituent countries of the UK, as in previous years, Wales reported the lowest rate of perceived good health at 73 per cent,

Integrated Household Survey April 2011 to March 2012: Experimental Statistics | 28 September 2012

• at the regional level the North East of England reported the lowest rate of perceived good health at 72 per cent, with London reporting the highest at 80 per cent.

Figure 2
Health by Region, April 2011 to March 2012



Source: Integrated Household Survey - Office for National Statistics

Notes:

- 1. The total number of eligible responders to the question was 281,795 of which 281,694 provided a valid response. The question was asked to respondents aged 16 and over.
- 2. The health categories were dichotomised using the approach applied by Eurostat. The category 'In good health' comprises the 'very good' and 'good' perceived health categories; the category 'Not in good health' comprises the categories 'fair', 'bad' and 'very bad'.
- 3. Percentages may not add to 100 per cent due to rounding.
- 4. Confidence intervals for the latest estimates in the above table can be found in the excel download table.

Download chart



Looking at perceived general health by age and gender, the IHS data show that:

Integrated Household Survey April 2011 to March 2012: Experimental Statistics | 28 September 2012

- the percentage of men that report that they perceive themselves to be 'in good health' are higher in all age groups than reported for women
- people in younger age groups are more likely to report themselves to be 'in good health'. Men in age group 16-24 reported the highest level of perceived good health at 92.3 per cent, with women in age group 65 and over reported the lowest at 55.8 per cent

Table 3Health by Age Group by Gender, April 2011 to March 2012

UK, percentages


	In good health	1		Not in good h	nealth	
Age group	Male	Female	Total	Male	Female	Total
16-24	92.3	90.1	91.2	7.7	9.9	8.8
25-34	89.3	87.7	88.5	10.7	12.3	11.5
35-49	82.4	80.1	81.3	17.6	19.9	18.7
50-64	70.3	70.2	70.3	29.7	29.8	29.7
65+	57.3	55.8	56.5	42.7	44.2	43.5
Total	77.7	75.3	76.5	22.3	24.7	23.5

Table source: Office for National Statistics

Table notes:

- 1. The total number of eligible responders to the question was 281,795 of which 281,694 provided a valid response. The question was asked to respondents aged 16 and over.
- 2. The health categories were dichotomised using the approach applied by Eurostat. The category 'In good health' comprises the 'very good' and 'good' perceived health categories; the category 'Not in good health' comprises the categories 'fair', 'bad' and 'very bad'.
- 3. Percentages may not add to 100 per cent due to rounding.
- 4. Confidence intervals for the latest estimates in the above table can be found in the excel download table.

Download table



Looking at smoking prevalence by age group and perceived general health the IHS data show that:

• people who have never smoked are more likely to report themselves to be 'in good health'. In the table below 7.0 per cent of adults in the 18 to 24 age group who have never smoked perceive themselves to be 'not in good health', compared with 15.0 per cent who currently smoke

Integrated Household Survey April 2011 to March 2012: Experimental Statistics | 28 September 2012

Table 4Smoking Prevalence by Age Group by Health, April 2011 to March 2012

UK, percentages

	In good health		Not in good health	
Age group	Current Smoker	Never Smoked	Current Smoker	Never Smoked
18-24	85.0	93.0	15.0	7.0
25-34	81.9	91.0	18.1	9.0
35-49	70.6	85.2	29.4	14.8
50-64	57.4	75.5	42.6	24.5
65+	46.7	59.8	53.3	40.2

Table source: Office for National Statistics

Table notes:

- 1. The total number of eligible responders to the question was 273,154 of which 273,015 provided a valid response. The question was asked to respondents aged 18 and over.
- 2. The health categories were dichotomised using the approach applied by Eurostat. The category 'In good health' comprises the 'very good' and 'good' perceived health categories; the category 'Not in good health' comprises the categories 'fair', 'bad' and 'very bad'.
- 3. Percentages may not add to 100 per cent due to rounding
- 4. Confidence intervals for the latest estimates in the above table can be found in the excel download table.

Download table

XLS XLS format (20.5 Kb)

Looking at smoking prevalence by region the IHS data show that:

- as in 2010/11, of the constituent countries of the UK Scotland reported to have the highest level
 of adults who currently smoke at 23.4 per cent. Northern Ireland reported to have the lowest at
 18.7 per cent.
- Within the regions of England, the South East reported to have the lowest level of adults who currently smoke at 18.6 per cent, with Yorkshire and the Humber reporting the highest at 22.2 per cent.

Integrated Household Survey April 2011 to March 2012: Experimental Statistics | 28 September 2012

Table 5Smoking Prevalence by Region, April to March 2010/11 and 2011/12

UK, percentages

		Current Smoker		Ex-Smoker	1	Never Smoked		
		2010/11	2011/12	2010/11	2011/12	2010/11	2011/12	
England		20.7	20.0	33.1	33.2	46.3	46.8	
	North East	22.4	21.2	33.1	32.7	44.5	46.1	
	North West	22.8	22.1	32.2	32.1	45.0	45.8	
	Yorkshire and The Humber	22.8	22.2	32.5	32.4	44.7	45.4	
	East Midlands	21.1	19.8	31.9	32.5	47.0	47.7	
	West Midlands	20.4	19.5	29.5	29.7	50.1	50.8	
	East of England	19.9	19.6	34.4	35.5	45.7	45.0	
	London	19.8	18.9	30.0	29.2	50.2	51.9	
	South East	18.9	18.6	36.3	36.3	44.9	45.1	
	South West	19.8	19.2	37.4	38.5	42.8	42.3	
Wales		22.0	21.3	32.4	32.0	45.6	46.7	
Scotland		23.5	23.4	31.4	31.7	45.1	44.8	
Northern Ireland		19.0	18.7	18.1	19.1	62.9	62.2	
UK		20.9	20.3	32.5	32.6	46.6	47.1	

Table source: Office for National Statistics

Table notes:

- 1. The total number of eligible responders to the question was 273,154 of which 273,116 provided a valid response. The question was asked to respondents aged 18 and over.
- 2. Percentages may not add to 100 per cent due to rounding.
- 3. Confidence intervals for the latest estimates in the above table can be found in the excel download table.

Integrated Household Survey April 2011 to March 2012: Experimental Statistics | 28 September 2012

Download table



Background notes

1. Integrated Household Survey

The Integrated Household Survey is formed from 'core' questions on a number of ONS Household Surveys. Data for this release were obtained from the following survey months:

Surveys contributing to the IHS

	General Lifestyle Survey	Living Costs and Food Survey	Annual Population Survey Includes LFS
Apr 2011	Χ	X	Χ
May 2011	Χ	X	Χ
Jun 2011	Χ	Χ	Χ
Jul 2011	Χ	Χ	Χ
Aug 2011	Χ	Χ	Χ
Sep 2011	Χ	Χ	Χ
Oct 2011	Χ	Χ	Χ
Nov 2011	Χ	Χ	Χ
Dec 2011	Χ	Χ	Χ
Jan 2012		Χ	Χ
Feb 2012		Χ	X
Mar 2012		X	X

Download table



After April 2011, the number of surveys contributing the IHS dataset fell, as LOS and EHS could not continue asking the core questions.

From January 2012, the cross-sectional fieldwork comprising the General Lifestyle Survey (GLF) has been wound up and so the IHS only comprises of the Living Cost and Food Survey (LCF) and Labour Force / Annual Population Survey (LFS/APS).

Integrated Household Survey April 2011 to March 2012: Experimental Statistics | 28 September 2012

ONS is proposing to reduce the number of annual IHS datasets from four to one per year. This <u>proposal</u> is out for consultation from August to October 2012.

Further information on the IHS and APS can be found on the ONS website.

2. Notes on the themes

2.1 Sexual identity

While the Equality Act 2010 and relevant legislation in the past refers to sexual orientation, ONS has focused on collecting data on sexual identity. The sexual identity question measures how people see themselves and not how others see them.

The sexual identity question was asked in both face to face and telephone interviews. During the face to face interviews, adults were asked; 'Which of the options on this show card best describes how you think of yourself?' For telephone interviews, a slightly different way of collecting the information was used; 'I will now read out a list of terms that people use to describe how they think of themselves'. The list was read out to the respondents twice. On the second reading, the respondent had to say 'stop' when an appropriate term they identified with was read out. In both modes, the order in which the terms appeared or were read out was unique for each respondent to ensure confidentiality and no proxy interviews were allowed.

Information regarding the development of the sexual identity question can be found on the ONS website.

2.2 Smoking Prevalence

The General Lifestlye Survey report presents smoking prevalence information for 2010.

3. Subjective Well-Being

As part of the <u>Measuring National Well-being programme</u>, ONS in April 2011 added what is termed 'subjective well-being' questions to the constituent surveys of the IHS. Subjective Well-being concerns people's self-reported assessment of their own well-being. Survey questions of this nature aim to capture an individuals well-being by measuring how people think and feel, for example asking about life satisfaction, meaning and purpose and day-to-day emotions. Used alongside more objective statistics they provide a fuller assessment of National Well-being.

In July 2012, ONS produced the <u>first annual experimental subjective well-being dataset</u> from the Annual Population Survey, the largest constituent survey of the IHS.

4. Other Sources of Data

Information on mental well-being, self-assessed health, and smoking for Scotland were published on 25 September in the <u>Scottish Health Survey 2011</u>. This report and the Scottish Household Survey are recommended for users primarily interested in Scottish data without UK

Integrated Household Survey April 2011 to March 2012: Experimental Statistics | 28 September 2012

wide comparison. In Scotland the statistical contact for health is Julie Ramsay 0131 244 2368 and for sexual identity, religion and ethnicity is Jon Hunter 0131 244 7571.

The Welsh Government publish data on sexual identity on their <u>StatsWales website</u>. More detailed data on self-assessed general health was published for Wales in the <u>Welsh Health Survey 2011 report</u>, and this is recommended for users primarily interested in Welsh data.

5. Access to the Data

IHS data will be made available through the End User Licence at the UK Data Archive. The End User Licence is an agreement between the user and the University of Essex to provide users with the right to use the data held at the Data Archive .The End User Licence dataset can be accessed on the UK Data Archive (UKDA).

A more detailed file can be accessed if Approved Researcher Status is sought and agreed. More information on the UK Data Archive and the Approved Researcher process are provided on the About us section of the ONS website.

6. Experimental Statistics

Experimental statistics are those which are in the testing phase, are not yet fully developed and have not been submitted for assessment to the <u>UK Statistics Authority</u>. The IHS is designated as experimental statistics. Further information on experimental statistics can be found on the ONS website.

7. Quality

Detailed information on sampling variability of the IHS can be found on the ONS website, and confidence intervals for the latest estimates described in the Bulletin can be found in the linked excel download tables.

8. Publication Policy

Details of the policy governing the release of new data are available from the <u>Media Relations</u> Office.

Issued by: Office for National Statistics, Government Buildings, Cardiff Road, Newport NP10 8XG.

Media contact:

Tel: Media Relations Office 0845 6041838

Emergency on-call: 07867 906553

Email: media.relations@ons.gsi.gov.uk

Integrated Household Survey April 2011 to March 2012: Experimental Statistics | 28 September 2012

9. Details of the policy governing the release of new data are available by visiting www.statisticsauthority.gov.uk/assessment/code-of-practice/index.html or from the Media Relations Office email: media.relations@ons.gsi.gov.uk

Copyright

© Crown copyright 2012

You may use or re-use this information (not including logos) free of charge in any format or medium, under the terms of the Open Government Licence. To view this licence, visit www.nationalarchives.gov.uk/doc/open-government-licence/ or write to the Information Policy Team, The National Archives, Kew, London TW9 4DU, or email: psi@nationalarchives.gsi.gov.uk.

This document is also available on our website at www.ons.gov.uk.

Statistical contacts

Name	Phone	Department	Email
Dean Fletcher	+44 (0)1633 455716	Integrated	dean.fletcher@ons.gsi.gov.uk
		Household Survey	/

Issuing Body:

Office for National Statistics

Media Contact Details:

Telephone: 0845 604 1858 (8.30am-5.30pm Weekdays)

Emergency out of hours (limited service): 07867 906553

Email:

media.relations@ons.gsi.gov.uk